


## Mini Signal Generator Performs up to 20 GHz



Vaunix Technology Corporation has introduced two new models to their Lab Brick® product line that together cover frequency ranges from 8 to 20 GHz. The LMS-203 operates from 10 to 20 GHz, while the LMS-163 operates from 8 to 16 GHz. Both boast low phase noise, fast 100 microsecond switching time, and fine 100 Hz frequency resolution. The LMS series also offers advanced operating features such as phase-continuous linear frequency sweeping, optional internal/external pulse modulation, and a selectable internal/external 10 MHz reference.

Typical spurious for the two models is at -80 dBc, with typical harmonics of -40 dBc and subharmonics at -25 dBc. They deliver at least +10 dBm output power, and can be adjusted over a 40 dB dynamic range, with 0.5 dB resolution. The pulse modulation feature offers internal or external triggering with pulse widths as low as 100 ns and pulse repetition intervals of 200 ns.

Other previously released models in the LMS family include the LMS-802 covering 4 to 8 GHz, the LMS-103 covering 5 to 10 GHz, and the LMS-123 covering 8 to 12 GHz. Lab Brick signal generators are known for their compact size, low power consumption, and Universal Serial Bus (USB) compatibility. Lab Brick® signal generators measure 4.90 x 3.14 x 1.59 in. (124 x 80 x 40 mm) and weigh less than 1 lb. (0.45 kg). They connect to a host computer by means of a standard USB cable and are controlled via the Graphical User Interface (GUI) software supplied with each unit. The simple GUI features large display windows to quickly view and adjust the signal generator's operating parameters. They are powered and controlled by means of any USB equipped personal computer (PC) or laptop. They can also be run from battery power or from a remote power supply for non-USB embedded or automated applications.

## Mini Signal Generator Performs up to 20 GHz

Published on Wireless Design & Development (<http://www.wirelessdesignmag.com>)

---

They are available for purchase at [www.vaunix.com](http://www.vaunix.com) [1].

### Source URL (retrieved on 01/28/2015 - 11:17am):

[http://www.wirelessdesignmag.com/product-releases/2011/07/mini-signal-generator-performs-20-ghz?qt-most\\_popular=0](http://www.wirelessdesignmag.com/product-releases/2011/07/mini-signal-generator-performs-20-ghz?qt-most_popular=0)

### Links:

[1] <http://www.vaunix.com>